



















## Retrac Button Bit for Rock Drilling

Product	Diameter		Buttons		Flushing Hole		Weight [kg]	Model No.
	[mm]	[in]	Gauge [No.] × [mm]	Front [No.] × [mm]	Side [No.]	Front [No.]		
<b>R25</b>								
 Retrac button bits	41	1 5/8"	5 × 9	2 × 8	2	1	0.78	R25-417YFP
	45	1 3/4"	6 × 9	3 × 8	1	3	1	R25-459YFP
	48	1 7/8"	6 × 10	3 × 9	1	3	1.1	R25-489YFP
	51	2"	6 × 10	3 × 9	-	3	1.35	R25-519YFP
	55	2 11/64"	6 × 11	3 × 9	1	3	1.54	R25-559YFP
	57	2 1/4"	6 × 10	3 × 10	-	3	1.6	R25-579YFP
	64	2 1/2"	8 × 11	4 × 10	1	2	2.2	R25-6412YFP
<b>R28</b>								
 Retrac button bits	45	1 3/4"	6 × 9	3 × 8	1	3	1	R28-459YFP
	51	2"	6 × 10	3 × 9	1	3	1.35	R28-519YFP
<b>R32</b>								
 Retrac button bits	45	1 3/4"	6 × 9	3 × 8	1	3	0.9	R32-459YFP
	48	1 7/8"	6 × 10	3 × 9	1	3	1.1	R32-489YFP
	51	2"	6 × 10	3 × 9	-	3	1.2	R32-519YFP
	57	2 1/4"	6 × 10	3 × 10	-	3	1.7	R32-579YFP
	64	2 1/2"	6 × 11	3 × 10	1	2	2.2	R32-649YFP
 Retrac button bits	60	2 23/64"	8 × 10	4 × 9	1	2	1.7	R32-6012YFP
	64	2 1/2"	8 × 10	4 × 10	2	2	1.9	R32-6412YFP
	76	3"	8 × 12	4 × 11	2	2	2.2	R32-7612YFP
 Retrac button bits	76	3"	8 × 11	4 × 11 1 × 11	-	4	3.3	R32-7613YFA

Product	Diameter		Buttons		Flushing Hole		Weight [kg]	Model No.
	[mm]	[in]	Gauge [No.] × [mm]	Front [No.] × [mm]	Side [No.]	Front [No.]		
<b>R38</b>								
	76	3"	8 × 11	4 × 11 1 × 11	-	4	2.9	R38-7612ZCA
Button bits	64	2 1/2"	8 × 10	4 × 10	2	2	1.9	R38-6412YFP
	76	3"	8 × 12	4 × 11	2	2	2.2	R38-7612YFP
Retrac button bits	64	2 1/2"	6 × 11	3 × 10	1	2	1.9	R38-649YFP
	64	2 1/2"	6 × 11	3 × 10 1 × 9	1	2	1.9	R38-6410YFA
	66	2 19/32"	6 × 11	3 × 10 1 × 9	1	2	1.9	R38-6610YFA
	64	2 1/2"	8 × 10	4 × 10 1 × 9	1	4	1.9	R38-6413YFA
	70	2 3/4"	8 × 10	4 × 10 1 × 9	1	4	2.4	R38-7013YFA
Retrac button bits	76	3"	8 × 11	4 × 11 1 × 11	-	4	3.3	R38-7613YFA
	89	3 1/2"	8 × 12	4 × 12 2 × 10	1	4	5.3	R38-8914YFA
	89	3 1/2"	8 × 12	4 × 11 1 × 11	1	4	5.3	R38-8913YFA
<b>T38</b>								
	64	2 1/2"	8 × 10	4 × 10	2	2	1.9	T38-6412YFP
Retrac button bits	76	3"	8 × 12	4 × 11	2	2	2.2	T38-7612YFP
	64	2 1/2"	6 × 11	3 × 10	1	2	1.9	T38-649YFP
	64	2 1/2"	6 × 11	3 × 10 1 × 9	1	2	1.9	T38-6410YFA
	66	2 19/32"	6 × 11	3 × 10 1 × 9	1	2	1.9	T38-6610YFA
	64	2 1/2"	8 × 10	4 × 10 1 × 9	1	4	1.9	T38-6413YFA
Retrac button bits	70	2 3/4"	8 × 10	4 × 10 1 × 9	1	4	2.4	T38-7013YFA
	65	2 9/16"	6 × 12	4 × 10	1	2	3.1	T38-6510YLP

Product	Diameter		Buttons		Flushing Hole		Weight [kg]	Model No.
	[mm]	[in]	Gauge [No.] × [mm]	Front [No.] × [mm]	Side [No.]	Front [No.]		
<b>T45</b>								
	76	3"	8 × 12	4 × 11	2	2	2.2	T45-7612YFP
	89	3 1/2"	8 × 13	5 × 12	2	2	5.2	T45-8913YFP
	102	4"	9 × 12	6 × 12	-	3	6.5	T45-10215YFP
Retrac button bits	115	4 1/2"	9 × 14	7 × 13	-	3	10	T45-11516YFP
	115	4 1/2"	9 × 14	6 × 13	-	3	10	T45-11515YFP
	76	3"	8 × 11	4 × 11 1 × 11	-	4	3.2	T45-7613YFA
	89	3 1/2"	8 × 12	4 × 12 2 × 10	1	4	5.4	T45-8914YFA
	102	4"	8 × 12	4 × 12 3 × 12	-	4	7.8	T45-10215YFA
Retrac button bits	102	4"	8 × 13	4 × 12 4 × 12	-	4	7.8	T45-10216YFA
	115	4 1/2"	8 × 14	4 × 13 3 × 12	-	4	7.8	T45-11515YFA
	76	3"	8 × 13	4 × 11 1 × 11	1	4	3.5	T45-7613YLA
	89	3 1/2"	8 × 12	4 × 12 1 × 12	1	4	4.7	T45-8913YLA
	152	6"	8 × 16	10 × 14	-	-	12.8	T45-15218DXP
Retrac button bits	152	6"	8 × 14	7 × 14	-	-	12.8	T45-15215DXP
<b>T51</b>								
	89	3 1/2"	8 × 12	4 × 12 2 × 10	1	4	5.3	T51-8914YLA
	89	3 1/2"	8 × 12	4 × 11 1 × 11	1	4	5.3	T51-8913YFA
Retrac button bits	89	3 1/2"	8 × 13	5 × 12	2	2	4.6	T51-8913YFP
	102	4"	8 × 14	7 × 12	1	2	7.1	T51-10215YFP
	102	4"	9 × 12	6 × 12	-	3	7.1	T51-10215YFP
	115	4 1/2"	9 × 14	7 × 13	-	3	10	T51-11516YFP
Retrac button bits	115	4 1/2"	9 × 14	6 × 13	-	3	10	T51-11515YFP
	127	5"	9 × 14	7 × 13	-	3	13	T51-12716YFP

Product	Diameter		Buttons		Flushing Hole		Weight [kg]	Model No.
	[mm]	[in]	Gauge [No.] × [mm]	Front [No.] × [mm]	Side [No.]	Front [No.]		
<b>T51</b>								
	89	3 1/2"	8 × 12	4 × 12 2 × 10	1	4	5.4	T51-8914YFA
	102	4"	8 × 12	4 × 12 3 × 12	-	4	7.8	T51-10215YFA
	102	4"	8 × 13	4 × 12 4 × 12	-	4	7.8	T51-10216YFA
Retrac button bits	115	4 1/2"	8 × 14	4 × 13 3 × 12	-	4	7.8	T51-11515YFA
	115	4 1/2"	8 × 14	4 × 14 3 × 12	-	4	7.8	T51-11515YFA
	115	4 1/2"	8 × 14	4 × 14 4 × 12	-	4	10	T51-11516YFA
	89	3 1/2"	9 × 11	3 × 11 2 × 10	1	3	4.8	T51-8914YFA
	102	4"	9 × 12	3 × 12 3 × 11	1	3	6.9	T51-10215YFA
Retrac button bits	110	4 21/64"	9 × 14	6 × 12 2 × 11	-	3	10	T51-11017YFA
	127	5"	8 × 16	4 × 14 4 × 14	-	4	13.5	T51-12716YFA
	102	4"	8 × 14	4 × 13 1 × 13	-	2	10.1	T51-10213YLA
Retrac button bits	115	4 1/2"	9 × 14	6 × 12 4 × 12	-	3	9.45	T51-11519YLA
<b>GT60</b>								
	92	3 5/8"	9 × 12	9 × 12	-	2	5.1	GT60-9218YFP
Retrac button bits	96	3 25/32"	9 × 12	9 × 12	-	2	6.5	GT60-9618YFP
	102	4"	9 × 13	10 × 12	-	2	8.5	GT60-10219YFP
	115	4 1/2"	9 × 14	10 × 12	-	3	10.8	GT60-11519YFP
	127	5"	9 × 16	10 × 14	-	3	15	GT60-12719YFP
Retrac button bits	140	5 1/2"	9 × 16	10 × 14	-	3	15	GT60-14019YFP
	152	6"	9 × 16	12 × 16	-	3	20	GT60-15221YFP
	115	4 1/2"	9 × 16	6 × 13	-	3	15	GT60-11515YFP
Retrac button bits								

Product	Diameter		Buttons		Flushing Hole		Weight [kg]	Model No.
	[mm]	[in]	Gauge [No.] × [mm]	Front [No.] × [mm]	Side [No.]	Front [No.]		
<b>ST58</b>								
 Retrac button bits	89	3 1/2"	10 × 12	4 × 12 2 × 12	-	4	5	ST58-8916YFA
	115	4 1/2"	10 × 14	4 × 14 4 × 14	-	4	10	ST58-11518YFA
<b>ST68</b>								
 Retrac button bits	102	4"	10 × 12	4 × 12 4 × 12	-	4	9.3	ST68-10218YFA
	115	4 1/2"	10 × 14	4 × 14 4 × 14	-	4	10	ST68-11518YFA

Remarks: Other button bit specifications are available according to customer requirements.